

M2SMART® HMI SYSTEM

MOBILE HMI WITH FUNCTIONAL SAFETY ACCORDING TO DIN EN ISO 13849



Flexible, efficient and safe operation thanks to:

- ✓ Wireless design
- ✓ Modular construction
- ✓ Various display sizes

Components

M2Smart® HMI System



M2SMART® HMI10

- ✓ 10.1-inch display with capacitive touchscreen guarantees optimal visualization and user-friendliness
- ✓ Modular design
- ✓ High usability
- ✓ Unlimited operating time thanks to removable battery and active holder



M2SMART® HMI5

- ✓ 5-inch display with capacitive touchscreen for optimal user-friendliness
- ✓ Compact design for easy handling
- ✓ Independent of control unit
- ✓ User-friendly operating system



M2SMART® GATEWAY

- ✓ Flexible installation inside or outside the control cabinet
- ✓ Quick and easy pairing via NFC
- ✓ Control-independent thanks to discrete wiring




M2SMART® HMI ACCESS POINT

- ✓ Variable network configuration
- ✓ Robust industrial housing
- ✓ Optional for the transmission of non-safety-relevant data
- ✓ Simple pairing and disconnection in a single process thanks to automatic integration into the pairing process




Functionality

Wireless HMI System



For more details and technical data





Drive and Control
Technology



Machinery and Plant
Engineering



Industrial
Automation



- ✓ Modular design for individual device configurations
- ✓ Focus on ergonomics for fatigue-free work
- ✓ Secure Android™ Industrial+ operating system independent of third-party services
- ✓ Security patches and upgrades over the entire product lifetime, directly from the manufacturer in Germany
- ✓ Functional safety according to DIN EN ISO 13849, performance level d
- ✓ Illuminated emergency stop button and three-stage enabling switch
- ✓ App for easy parametrization
- ✓ Quick-change battery and active holders for uninterrupted work

WE LOOK FORWARD TO YOUR INQUIRY!



ACD Elektronik GmbH
Engelberg 2
88480 Achstetten

T +49 7392 708-499
sales@acd-elektronik.de
www.acd-gruppe.de/en